Author index

Abraham, W., Wertz, P.W. and Downing, D.T.
Effect of epidermal acylglucosylceramides and acylceramides on the morphology of liposomes prepared from stratum corneum lipids (939) 403
Albrecht, A.-M., see Lazrak, T. (939) 160
Albrecht, M.R., see Wassall, S.R. (939) 393
Allegrini, P.R., see Seelig, A. (939) 267
Alonso, G.L., see Obejero Paz, C.A. (939) 409
Ando, S., see Zs.-Nagy, I. (939) 551
Andreu, D., see Steiner, H. (939) 260
Anraku, Y., see Hanada, K. (939) 282
Apell, H.-J., see Borlinghaus, R. (939) 197
Aragón, C., see López-Corcuera, B. (939) 467

Bakás, L.S. and Disalvo, E.A.
Ca^{2+}-induced phosphatidylcholine vesicle aggregation in the presence of ferricyanide (939) 295
Ballas, N., Zakai, N., Sela, I. and Loyter, A.
Liposomes bearing a quaternary ammonium detergent as an efficient vehicle for functional transfer of TMV-RNA into plant protoplasts (939) 8
Bancel, F., see Maurin, L. (939) 102
Barber, K.R., see Mehlhorn, I.E. (939) 151
Ben-Av, P., Rubinstein, S. and Breitbart, H.
Induction of acrosomal reaction and calcium uptake in ram spermatozoa by ionophores (939) 214
Bertsche, U., Mader, A. and Zimmermann, U.
Nuclear membrane fusion in electrofused mammalian cells (939) 509
Bicknell-Brown, E., see Boughriet, A. (939) 523
Bienvenüe, A., see Maurin, L. (939) 102
Borlinghaus, R. and Apell, H.-J.
Current transients generated by the Na^+/K^+-ATPase after an ATP concentration jump: dependence on sodium and ATP concentration (939) 197
Borovyagin, V.L., Tarakhovsky, Y.S. and Vasilenko, I.A.
Polymorphism in galactolipid/phosphatidylglycerol model membranes initiated by chlorophylls: ^{31}P-NMR and electron-microscopy studies (939) 111
Boughriet, A., Ladjadj, M. and Bicknell-Brown, E.
Calcium-induced condensation-reorganization phenomena in multilamellar vesicles of phosphatidic acid. pH potentiometric and ^{31}P-NMR, Raman and ESR spectroscopic studies (939) 523
Brain, A.P.R., see Foley, A.A. (939) 430
Brasitus, T.A. and Dudeja, P.K.
Effect of hypothyroidism on the lipid composition and fluidity of rat colonic apical plasma membranes (939) 189
Brayer, G.D., see Worobec, E.A. (939) 366
Breitbart, H., see Ben-Av, P. (939) 214
Bruzik, K.S.
Conformation of the polar headgroup of sphingomyelin and its analogues (939) 315
Büchner, K.-H., see Walter, L. (939) 1
Bunow, M.R. and Levin, I.W.
Phase behavior of cerebroside and its fractions with phosphatidylcholines: calorimetric studies (939) 577
Burger, K.N.J., Knoll, G. and Verkleij, A.J.
Influenza virus–model membrane interaction. A morphological approach using modern cryotechniques (939) 89

Carone, F.A., see Shimomura, A. (939) 52
Carrasquer, G., see Schwartz, M. (939) 207
Carratero, C., see Payrastre, B. (939) 355
Chap, H., see Payrastre, B. (939) 355
Chapman, D., see Johnston, D.S. (939) 603
Chinard, F.P., see Garrick, R.A. (939) 343
Claussen, M., see Hübner, C. (939) 145
Cott, G.R., see Sano, K. (939) 449
Courtney, K.R. and Kendig, J.J.
Bupivacaine is an effective potassium channel blocker in heart (939) 163
Crowe, J.H. and Crowe, L.M.
Factors affecting the stability of dry liposomes (939) 327
Crowe, L.M., see Crowe, J.H. (939) 327
Cua, W.O., see Garrick, R.A. (939) 343
Curatola, G., see Fiorini, R.M. (939) 485

Da Costa, M. and Rothenberg, S.P.
Characterization of the folate-binding proteins associated with the plasma membrane of rat liver (939) 533
Dage, R.C., see Matlib, M.A. (939) 173
Daum, G., Keller, K. and Lange, K.
Association of glycolytic enzymes with the cytoplasmic side of the plasma membrane of glioma cells (939) 277
De Bruijne, A.W., Schuddemat, J., Van den Broek, P.J.A. and Van Steveninck, J.
Regulation of sugar transport systems of *Kluyveromyces marxianus*: the role of carbohydrates and their catabolism (939) 569
De Jonge, H.R., see Vaandrager, A.B. (939) 305
De Kruijff, B., see Gasset, M. (939) 79
Deuticke, B., see Klösgen, B. (939) 29
Dinno, M.A., see Schwartz, M. (939) 207
DiRisio, D.J., see Garrick, R.A. (939) 343
Disalvo, E.A., see Bakás, L.S. (939) 295
Doane, J.W., see Westerman, P.W. (939) 64
Douste-Blazy, L., see Payrastre, B. (939) 355
Downing, D.T., see Abraham, W. (939) 403
Dubro, D.W., see Westerman, P.W. (939) 64

Dudeja, P.K., see Brasitus, T.A. (939) 189
Dupont, M.A., see Escande-Géraud, M.L. (939) 247
Dupraz, P., see Michalak, M. (939) 587
Dux, L., see Sarkadi, B. (939) 40

Enyedi, Á., see Sarkadi, B. (939) 40
Escande-Géraud, M.L., Rols, M.P., Dupont, M.A., Gas, N. and Teissié, J.
Reversible plasma membrane ultrastructural changes correlated with electropermeabilization in Chinese hamster ovary cells (939) 247
Etievan, C., see Payrastre, B. (939) 355
Evers, C., Hugentobler, G., Lester, R., Gmaj, P., Meier, P. and Murer, H.
ATP-dependent Ca^{2+} uptake and Ca^{2+}-dependent protein phosphorylation in basolateral liver plasma membranes (939) 542

Farrell, C., see Matlib, M.A. (939) 173
Feigenson, G.W., see Huang, N.-n. (939) 124
Ferrell Jr., J.E., Mitchell, K.T. and Huestis, W.H.
Membrane bilayer balance and platelet shape: morphological and biochemical responses to amphipathic compounds (939) 223
Fiorini, R.M., Valentino, M., Glaser, M., Gratton, E. and Curatola, G.
Fluorescence lifetime distributions of 1,6-diphenyl-1,3,5-hexatriene reveal the effect of cholesterol on the microheterogeneity of erythrocyte membrane (939) 485
Florine-Casteel, K., see Huang, N.-n. (939) 124
Florio, E., see Mehlhorn, I.E. (939) 151
Foley, A.A., Brain, A.P.R., Quinn, P.J. and Harwood, J.L.
Permeability of liposomes composed of binary mixtures of monogalactosyldiacylglycerol and digalactosyldiacylglycerol (939) 430
Forbush III, B., see Haas, M. (939) 131
Fujii, T., see Murakami, M. (939) 238
Fujita, Y., see Katsu, T. (939) 57

Gárdos, G., see Sarkadi, B. (939) 40
Garrick, R.A., DiRisio, D.J., Giannuzzi, R., Cua, W.O., Ryan, U.S. and Chinard, F.P.
The osmotic permeability of isolated calf pulmonary artery endothelial cells (939) 343
Gas, N., see Escande-Géraud, M.L. (939) 247
Gasset, M., Killian, J.A., Tournois, H. and De Kruijff, B.
Influence of cholesterol on gramicidin-induced H_{II} phase formation in phosphatidylcholine model membranes (939) 79
Giannuzzi, R., see Garrick, R.A. (939) 343
Giménez, C., see López-Corcuera, B. (939) 467
Girbig, F., see Kramer, W. (939) 167
Glaser, M., see Fiorini, R.M. (939) 485
Gmaj, P., see Evers, C. (939) 542
González, D.A., see Obejero Paz, C.A. (939) 409
Grant, C.W.M., see Mehlhorn, I.E. (939) 151
Gratton, E., see Fiorini, R.M. (939) 485

Haas, M. and Forbush III, B.
Photoaffinity labelling of a 150 kDa (Na + K + Cl)-cotransport protein from duck red cells with an analog of bumetanide (939) 131
Hallaq, H., see Heller, M. (939) 595
Hampp, R., see Mehrle, W. (939) 561
Hanada, K., Yamato, I. and Anraku, Y.
Solubilization and reconstitution of proline carrier in *Escherichia coli*; quantitative analysis and optimal conditions (939) 282
Hancock, R.E.W., see Worobec, E.A. (939) 366
Harwood, J.L., see Foley, A.A. (939) 430
Heller, M., Hallaq, H. and Panet, R.
Interactions of cardiac glycosides with cells and membranes. IV. Effects of ouabain and bumetanide on $^{86}Rb^{+}$ influx in cultured cardiac myocytes from neonatal rats (939) 595
Henkart, P.A., see Kolber, M.A. (939) 459
Hirota, T., see Katsu, T. (939) 57
Hjertén, S., Sparrman, M. and Liao, J.-l.
Purification of membrane proteins in SDS and subsequent renaturation (939) 476
Huang, L., see Pinnaduwage, P. (939) 375
Huang, N.-n., Florine-Casteel, K., Feigenson, G.W. and Spink, C.
Effect of fluorophore linkage position of *n*-(9-anthroyloxy) fatty acids on probe distribution between coexisting gel and fluid phospholipid phases (939) 124
Hübner, C., Lindner, S.G., Stern, M., Claussen, M. and Kohlschütter, A.
Membrane fluidity and lipid composition of rat small intestinal brush-border membranes during postnatal maturation (939) 145
Huestis, W.H., see Ferrell Jr., J.E. (939) 223
Hugentobler, G., see Evers, C. (939) 542

Ilundain, A., see López-Burillo, S. (939) 335
Imahori, K., see Zs.-Nagy, I. (939) 551

Janas, T. and Tien, H.T.
Influence of dolichyl phosphate on permeability and stability of bilayer lipid membranes (939) 624
Jauch, P. and Läuger, P.
Kinetics of the Na^{+}/alanine cotransporter in pancreatic acinar cells (939) 179
Johnston, D.S. and Chapman, D.
A calorimetric study of the thermotropic behaviour of mixtures of brain cerebrosides with other brain lipids (939) 603

Kates, M., see Lazrak, T. (939) 160
Katsu, T., Ninomiya, C., Kuroko, M., Kobayashi, H., Hirota, T. and Fujita, Y.
Action mechanism of amphipathic peptides gramicidin S and melittin on erythrocyte membrane (939) 57
Katz, Y.
On the use of regular solution theory as a theoretical frame for the analysis of membrane phenomena (939) 19

Kay, C.M., see Worobec, E.A. (939) 366
Keller, K., see Daum, G. (939) 277
Kendig, J.J., see Courtney, K.R. (939) 163
Kihara, M., see Matlib, M.A. (939) 173
Killian, J.A., see Gasset, M. (939) 79
Kimori, M., see Kishi, M. (939) 615
Kishi, M., Ohkuma, S., Kimori, M. and Kuriyama, K.
Characteristics of taurine transport system and its developmental pattern in mouse cerebral cortical neurons in primary culture (939) 615
Kitani, K., see Nokubo, M. (939) 441
Kitani, K., see Zs.-Nagy, I. (939) 551
Klösgen, B., Schönert, H. and Deuticke, B.
Measurement of rapid membrane permeation in cell suspensions by application of a generalized capillary method (939) 29
Knoll, G., see Burger, K.N.J. (939) 89
Kobayashi, H., see Katsu, T. (939) 57
Kohlschütter, A., see Hübner, C. (939) 145
Kolber, M.A. and Henkart, P.A.
Quantitation of secretion by rat basophilic leukemia cells by measurements of quinacrine uptake (939) 459
Kramer, W., Leipe, I., Petzoldt, E. and Girbig, F.
Characterization of the transport system for β-lactam antibiotics and dipeptides in rat renal brush-border membrane vesicles by photoaffinity labeling (939) 167
Kuriyama, K., see Kishi, M. (939) 615
Kuroko, M., see Katsu, T. (939) 57

Ladjadj, M., see Boughriet, A. (939) 523
Lange, K., see Daum, G. (939) 277
Langsford, C.A., see Wassall, S.R. (939) 393
Läuger, P., see Jauch, P. (939) 179
Lazrak, T., Wolff, G., Albrecht, A.-M., Nakatani, Y., Ourisson, G. and Kates, M.
Bacterioruberins reinforce reconstituted *Halobacterium* lipid membranes (939) 160
Lebeau, L., Mioskowski, C. and Oudet, P.
Systematic study of phospholipids linked to a steroid derivative, spread into a monolayer at the air/water interface (939) 417
Leipe, I., see Kramer, W. (939) 167
Lester, R., see Evers, C. (939) 542
Levin, I.W., see Bunow, M.R. (939) 577
Liao, J.-l., see Hjertén, S. (939) 476
Lindner, S.G., see Hübner, C. (939) 145
López-Burillo, S., O'Brien, J.A., Ilundain, A., Wreggett, K.A. and Sepúlveda, F.V.
Activation of basolateral membrane K^+ permeability by bradykinin in MDCK cells (939) 335
López-Corcuera, B., Giménez, C. and Aragón, C.
Change of synaptic membrane lipid composition and fluidity by chronic administration of lithium (939) 467
Lordo, C., see Mehlhorn, I.E. (939) 151
Loyter, A., see Ballas, N. (939) 8

Mader, A., see Bertsche, U. (939) 509
Martin, N.L., see Worobec, E.A. (939) 366
Mason, R.J., see Sano, K. (939) 449
Matlib, M.A., Kihara, M., Farrell, C. and Dage, R.C.
The Na^+–Ca^{2+} exchange system in vascular smooth muscle cell membrane vesicles isolated from cultured cells and from tissue is similar (939) 173
Maurin, L., Bancel, F., Morin, P. and Bienvenüe, A.
Interactions between a paramagnetic analogue of cholesterol and filipin (939) 102
McCubbin, W.D., see Worobec, E.A. (939) 366
Mehlhorn, I.E., Florio, E., Barber, K.R., Lordo, C. and Grant, C.W.M.
Evidence that trans-bilayer interdigitation of glycosphingolipid long chain fatty acids may be a general phenomenon (939) 151
Mehrle, W., Hampp, R., Zimmermann, U. and Schwan, H.P.
Mapping of the field distribution around dielectrophoretically aligned cells by means of small particles as field probes (939) 561
Meier, P., see Evers, C. (939) 542
Merrifield, R.B., see Steiner, H. (939) 260
Michalak, M., Dupraz, P. and Shoshan-Barmatz, V.
Ryanodine binding to sarcoplasmic reticulum membrane; comparison between cardiac and skeletal muscle (939) 587
Mioskowski, C., see Lebeau, L. (939) 417
Mitchell, K.T., see Ferrell Jr., J.E. (939) 223
Mitsumoto, Y., Sato, K. and Mohri, T.
Leucine transport-induced activation of the Na^+/H^+ exchanger in human peripheral lymphocytes (939) 349
Mohri, T., see Mitsumoto, Y. (939) 349
Mohri, T., see Ohyashiki, T. (939) 383
Molnár, E., see Sarkadi, B. (939) 40
Morin, P., see Maurin, L. (939) 102
Murakami, M., Takada, K., Fujii, T. and Muranishi, S.
Intestinal absorption enhanced by unsaturated fatty acids: inhibitory effect of sulfhydryl modifiers (939) 238
Muranishi, S., see Murakami, M. (939) 238
Murer, H., see Evers, C. (939) 542

Nakatani, Y., see Lazrak, T. (939) 160
Ninomiya, C., see Katsu, T. (939) 57
Nokubo, M., Zs.-Nagy, I., Kitani, K. and Ohta, M.
Characterization of the autofluorescence of rat liver plasma membranes (939) 441

Obejero Paz, C.A., González, D.A. and Alonso, G.L.
Demonstration of the simultaneous activation of Ca^{2+}-independent and Ca^{2+}-dependent ATPases from rat skeletal muscle microsomes (939) 409
O'Brien, J.A., see López-Burillo, S. (939) 335
Ohkuma, S., see Kishi, M. (939) 615
Ohno-Iwashita, Y., see Zs.-Nagy, I. (939) 551
Ohta, M., see Nokubo, M. (939) 441
Ohta, M., see Zs.-Nagy, I. (939) 551
Ohtsuka, T., see Ohyashiki, T. (939) 383
Ohyashiki, T., Ohtsuka, T. and Mohri, T.
Increase of the molecular rigidity of the protein conformation in the intestinal brush-border membranes by lipid peroxidation (939) 383

Oudet, P., see Lebeau, L. (939) 417
Ourisson, G., see Lazrak, T. (939) 160

Panet, R., see Heller, M. (939) 595
Payrastre, B., Plantavid, M., Etievan, C., Ribbes, G., Carratero, C., Chap, H. and Douste-Blazy, L.
Characterization of plasma membranes from A431 cells, isolated by self-generating Percoll gradient: a rapid isolation procedure to obtain plasma membranes with functional epidermal growth factor receptors (939) 355
Penniston, J.T., see Sarkadi, B. (939) 40
Peterson, D.R., see Shimomura, A. (939) 52
Petzoldt, E., see Kramer, W. (939) 167
Phelps, T.M., see Wassall, S.R. (939) 393
Philipson, K.D., see Vemuri, R. (939) 503
Phonphok, N., see Westerman, P.W. (939) 64
Pinnaduwage, P. and Huang, L.
β-Galactosidase-induced destabilization of liposome composed of phosphatidylethanolamine and ganglioside G_{M1} (939) 375
Plantavid, M., see Payrastre, B. (939) 355
Pope, J.M., see Westerman, P.W. (939) 64
Prats, M., see Soucaille, P. (939) 289

Quinn, P.J., see Foley, A.A. (939) 430

Rack, M.
Periodate treatment reduces the tetrodotoxin-sensitivity of voltage-gated Na^+ channels (939) 47
Rehm, W.S., see Schwartz, M. (939) 207
Ribbes, G., see Payrastre, B. (939) 355
Rols, M.P., see Escande-Géraud, M.L. (939) 247
Rothenberg, S.P., see Da Costa, M. (939) 533
Royt, P.W.
Isolation of a membrane associated iron chelator from *Pseudomonas aeruginosa* (939) 493
Rubinstein, S., see Ben-Av, P. (939) 214
Ryan, U.S., see Garrick, R.A. (939) 343

Sano, K., Cott, G.R., Voelker, D.R. and Mason, R.J.
The Na^+/H^+ antiporter in rat alveolar type II cells and its role in stimulated surfactant secretion (939) 449
Sarkadi, B., Enyedi, Á., Penniston, J.T., Verma, A.K., Dux, L., Molnár, E. and Gárdos, G.
Characterization of membrane calcium pumps by simultaneous immunoblotting and ^{32}P radiography (939) 40
Sato, K., see Mitsumoto, Y. (939) 349
Schönert, H., see Klösgen, B. (939) 29
Schuddemat, J., see De Bruijne, A.W. (939) 569
Schwan, H.P., see Mehrle, W. (939) 561
Schwartz, M., Carrasquer, G., Rehm, W.S. and Dinno, M.A.
Potential difference responses to nutrient K^+, Cl^- and Na^+ changes in secreting and resting states of frog stomach (939) 207
Seelig, A., Allegrini, P.R. and Seelig, J.
Partitioning of local anesthetics into membranes: surface charge effects monitored by the phospholipid head-group (939) 267
Seelig, J., see Seelig, A. (939) 267
Sela, I., see Ballas, N. (939) 8
Sepúlveda, F.V., see López-Burillo, S. (939) 335
Shimomura, A., Carone, F.A. and Peterson, D.R.
Contraluminal uptake of serine in the proximal nephron (939) 52
Shoshan-Barmatz, V., see Michalak, M. (939) 587
Soucaille, P., Prats, M., Tocanne, J.F. and Teissié, J.
Use of a fluorescein derivative of phosphatidylethanolamine as a pH probe at water/lipid interfaces (939) 289
Sparrman, M., see Hjertén, S. (939) 476
Spink, C., see Huang, N.-n. (939) 124
Steiner, H., Andreu, D. and Merrifield, R.B.
Binding and action of cecropin and cecropin analogues: antibacterial peptides from insects (939) 260
Stern, M., see Hübner, C. (939) 145
Stillwell, W., see Wassall, S.R. (939) 393

Takada, K., see Murakami, M. (939) 238
Tarakhovsky, Y.S., see Borovyagin, V.L. (939) 111
Teissié, J., see Escande-Géraud, M.L. (939) 247
Teissié, J., see Soucaille, P. (939) 289
Tien, H.T., see Janas, T. (939) 624
Tocanne, J.F., see Soucaille, P. (939) 289
Tournois, H., see Gasset, M. (939) 79

Vaandrager, A.B. and De Jonge, H.R.
A sensitive technique for the determination of anion exchange activities in brush-border membrane vesicles. Evidence for two exchangers with different affinities for HCO_3^- and SITS in rat intestinal epithelium (939) 305
Valentino, M., see Fiorini, R.M. (939) 485
Van den Broek, P.J.A., see De Bruijne, A.W. (939) 569
Van Steveninck, J., see De Bruijne, A.W. (939) 569
Vasilenko, I.A., see Borovyagin, V.L. (939) 111
Vemuri, R. and Philipson, K.D.
Protein methylation inhibits Na^+–Ca^{2+} exchange activity in cardiac sarcolemmal vesicles (939) 503
Verkleij, A.J., see Burger, K.N.J. (939) 89
Verma, A.K., see Sarkadi, B. (939) 40
Voelker, D.R., see Sano, K. (939) 449

Walter, L., Büchner, K.-H. and Zimmermann, U.
Effect of alkaline earth ions on the movement of mobile charges in *Valonia utricularis* (939) 1
Wassall, S.R., Phelps, T.M., Albrecht, M.R., Langsford, C.A. and Stillwell, W.
Electron spin resonance study of the interactions of retinoids with a phospholipid model membrane (939) 393
Wertz, P.W., see Abraham, W. (939) 403
Westerman, P.W., Pope, J.M., Phonphok, N., Doane, J.W. and Dubro, D.W.
The interaction of *n*-alkanols with lipid bilayer membranes: a ^2H-NMR study (939) 64
Wolff, G., see Lazrak, T. (939) 160
Worobec, E.A., Martin, N.L., McCubbin, W.D., Kay, C.M., Brayer, G.D. and Hancock, R.E.W.
Large-scale purification and biochemical characterization

of crystallization-grade porin protein P from *Pseudomonas aeruginosa* (939) 366
Wreggett, K.A., see López-Burillo, S. (939) 335

Yamato, I., see Hanada, K. (939) 282

Zakai, N., see Ballas, N. (939) 8
Zimmermann, U., see Bertsche, U. (939) 509
Zimmermann, U., see Mehrle, W. (939) 561
Zimmermann, U., see Walter, L. (939) 1
Zs.-Nagy, I., Ohno-Iwashita, Y., Ohta, M., Zs.-Nagy, V., Kitani, K., Ando, S. and Imahori, K.
Effect of perfringolysin O on the lateral diffusion constant of membrane proteins of hepatocytes as revealed by fluorescence recovery after photobleaching (939) 551
Zs.-Nagy, I., see Nokubo, M. (939) 441
Zs.-Nagy, V., see Zs.-Nagy, I. (939) 551